


Vulnerability Scanning and Risk Analysis

2014-08-21 13:10

Source Zone:eth1

Target Server:200.200.155.1-200.200.155.254

Scan Port:80,81,8001,8002, 443, 110, 25, 143, 21, 69, 3306, 1521, 1433, 139,445, 53, 23, 22, 3389, 5900, 22345



Risk Summary

Weak Password

Password of Web application may be too weak and may result in unauthorized access. You are recommended to change it to strong password.

IP	Port	Application	Accessible Zone	Account
200.200.155.26	445	netbios	eth1	1,Username:EVERYONE, Password Type:PWD_NOAUTH
200.200.155.26	139	netbios	eth1	1,Username:EVERYONE, Password Type:PWD_NOAUTH
200.200.155.109	445	netbios	eth1	1,Username:admin, Password:admin
200.200.155.187	445	netbios	eth1	1,Username:EVERYONE, Password Type:PWD_NOAUTH
200.200.155.187	139	netbios	eth1	1,Username:EVERYONE, Password Type:PWD_NOAUTH
200.200.155.202	445	netbios	eth1	1,Username:admin, Password Type:PWD_EMPTY 2,Username:administrator, Password Type:PWD_EMPTY
200.200.155.202	139	netbios	eth1	1,Username:admin, Password Type:PWD_EMPTY 2,Username:administrator, Password Type:PWD_EMPTY
200.200.155.219	3306	mysql	eth1	1,Username:root, Password:root

Unnecessary Open Port

They are open ports that are not commonly accessible to external users, such as database server port, remote access port and so on. You are recommended to configure access control policy to prevent unauthorized access.

Server IP	Port	Application	Accessible Zone	Risk Description
200.200.155.10	3306	mysql	eth1	1,IDS_PORT_OPEN_DETAIL_HIGH
200.200.155.12	3306	mysql	eth1	1,IDS_PORT_OPEN_DETAIL_HIGH
200.200.155.19	21	ftp	eth1	1,IDS_PORT_OPEN_DETAIL_HIGH
200.200.155.32	3306	mysql	eth1	1,IDS_PORT_OPEN_DETAIL_HIGH
200.200.155.32	21	ftp	eth1	1,IDS_PORT_OPEN_DETAIL_HIGH
200.200.155.66	1521	oracle	eth1	1,IDS_PORT_OPEN_DETAIL_HIGH
200.200.155.111	3306	mysql	eth1	1,IDS_PORT_OPEN_DETAIL_HIGH
200.200.155.114	3306	mysql	eth1	1,IDS_PORT_OPEN_DETAIL_HIGH
200.200.155.80	21	ftp	eth1	1,IDS_PORT_OPEN_DETAIL_HIGH
200.200.155.128	3306	mysql	eth1	1,IDS_PORT_OPEN_DETAIL_HIGH
200.200.155.156	3306	mysql	eth1	1,IDS_PORT_OPEN_DETAIL_HIGH
200.200.155.131	21	ftp	eth1	1,IDS_PORT_OPEN_DETAIL_HIGH
200.200.155.143	21	ftp	eth1	1,IDS_PORT_OPEN_DETAIL_HIGH
200.200.155.143	3306	mysql	eth1	1,IDS_PORT_OPEN_DETAIL_HIGH
200.200.155.158	21	ftp	eth1	1,IDS_PORT_OPEN_DETAIL_HIGH
200.200.155.199	3306	mysql	eth1	1,IDS_PORT_OPEN_DETAIL_HIGH
200.200.155.197	21	ftp	eth1	1,IDS_PORT_OPEN_DETAIL_HIGH
200.200.155.207	21	ftp	eth1	1,IDS_PORT_OPEN_DETAIL_HIGH
200.200.155.219	3306	mysql	eth1	1,IDS_PORT_OPEN_DETAIL_HIGH
200.200.155.242	3306	mysql	eth1	1,IDS_PORT_OPEN_DETAIL_HIGH

Unprotected Web Application

Web system that has vulnerabilities may allow attackers to use web application to initiate malicious request which results in unauthorized access if Web system executes the command. The following are number of Web systems without Web application protection.

Number of Unprotected Web Systems : **38**

Vulnerability

Attacker takes advantage of vulnerabilities on system or application to intrude the host machine. You may configure IPS rule to protect the vulnerabilities. The following are number of risks that are not under IPS protection.

Number of Servers without IPS Protection : 141

Unnecessary Open Ports and Risks

IP	Port	Applica tion	Accessible Zone	Accessible IP	Threat Level	Risk Description
200.200.155.10	3306	mysql	eth1	0.0.0.0-255.255.255.255	High	1, Vulnerability: Vulnerability Type:databaseflaw attack 2, Unnecessary Open Ports: IDS_PORT_OPEN_DETAIL_HIGH
200.200.155.12	3306	mysql	eth1	0.0.0.0-255.255.255.255	High	1, Vulnerability: Vulnerability Type:databaseflaw attack 2, Unnecessary Open Ports: IDS_PORT_OPEN_DETAIL_HIGH
200.200.155.19	21	ftp	eth1	0.0.0.0-255.255.255.255	High	1, Vulnerability: Vulnerability Type:ftpfaw attack 2, Unnecessary Open Ports: IDS_PORT_OPEN_DETAIL_HIGH
200.200.155.26	445	netbios	eth1	0.0.0.0-255.255.255.255	High	1, Weak Password Vulnerability: Username:EVERYONE Password Type:PWD_NOAUTH 2, Vulnerability: Vulnerability Type:systemflaw attack 3, Unnecessary Open Ports: IDS_PORT_OPEN_DETAIL
200.200.155.32	3306	mysql	eth1	0.0.0.0-255.255.255.255	High	1, Vulnerability: Vulnerability Type:databaseflaw attack 2, Unnecessary Open Ports: IDS_PORT_OPEN_DETAIL_HIGH
200.200.155.26	139	netbios	eth1	0.0.0.0-255.255.255.255	High	1, Weak Password Vulnerability: Username:EVERYONE Password Type:PWD_NOAUTH 2, Vulnerability: Vulnerability Type:systemflaw attack 3, Unnecessary Open Ports: IDS_PORT_OPEN_DETAIL
200.200.155.32	21	ftp	eth1	0.0.0.0-255.255.255.255	High	1, Vulnerability: Vulnerability Type:ftpfaw attack 2, Unnecessary Open Ports: IDS_PORT_OPEN_DETAIL_HIGH
200.200.155.66	1521	oracle	eth1	0.0.0.0-255.255.255.255	High	1, Vulnerability: Vulnerability Type:databaseflaw attack 2, Unnecessary Open Ports: IDS_PORT_OPEN_DETAIL_HIGH
200.200.155.109	445	netbios	eth1	0.0.0.0-255.255.255.255	High	1, Weak Password Vulnerability: Username:admin Password:admin 2, Vulnerability: Vulnerability Type:systemflaw attack 3, Unnecessary Open Ports: IDS_PORT_OPEN_DETAIL
200.200.155.111	3306	mysql	eth1	0.0.0.0-255.255.255.255	High	1, Vulnerability: Vulnerability Type:databaseflaw attack 2, Unnecessary Open Ports: IDS_PORT_OPEN_DETAIL_HIGH
200.200.155.114	3306	mysql	eth1	0.0.0.0-255.255.255.255	High	1, Vulnerability: Vulnerability Type:databaseflaw attack 2, Unnecessary Open Ports: IDS_PORT_OPEN_DETAIL_HIGH
200.200.155.80	21	ftp	eth1	0.0.0.0-255.255.255.255	High	1, Vulnerability: Vulnerability Type:ftpfaw attack 2, Unnecessary Open Ports: IDS_PORT_OPEN_DETAIL_HIGH
200.200.155.128	3306	mysql	eth1	0.0.0.0-255.255.255.255	High	1, Vulnerability: Vulnerability Type:databaseflaw attack 2, Unnecessary Open Ports: IDS_PORT_OPEN_DETAIL_HIGH
200.200.155.156	3306	mysql	eth1	0.0.0.0-255.255.255.255	High	1, Vulnerability:

Unnecessary Open Ports and Risks

					5.255		Vulnerability Type:databaseflaw attack 2, Unnecessary Open Ports: IDS_PORT_OPEN_DETAIL_HIGH
200.200.155.131	21	ftp	eth1		0.0.0.0-255.255.25.25 5.255	High	1, Vulnerability: Vulnerability Type:ftppflaw attack 2, Unnecessary Open Ports: IDS_PORT_OPEN_DETAIL_HIGH
200.200.155.143	21	ftp	eth1		0.0.0.0-255.255.25.25 5.255	High	1, Vulnerability: Vulnerability Type:ftppflaw attack 2, Unnecessary Open Ports: IDS_PORT_OPEN_DETAIL_HIGH
200.200.155.187	445	netbios	eth1		0.0.0.0-255.255.25.25 5.255	High	1, Weak Password Vulnerability: Username:EVERYONE Password Type:PWD_NOAUTH 2, Vulnerability: Vulnerability Type:systemflaw attack 3, Unnecessary Open Ports: IDS_PORT_OPEN_DETAIL
200.200.155.187	139	netbios	eth1		0.0.0.0-255.255.25.25 5.255	High	1, Weak Password Vulnerability: Username:EVERYONE Password Type:PWD_NOAUTH 2, Vulnerability: Vulnerability Type:systemflaw attack 3, Unnecessary Open Ports: IDS_PORT_OPEN_DETAIL
200.200.155.143	3306	mysql	eth1		0.0.0.0-255.255.25.25 5.255	High	1, Vulnerability: Vulnerability Type:databaseflaw attack 2, Unnecessary Open Ports: IDS_PORT_OPEN_DETAIL_HIGH
200.200.155.158	21	ftp	eth1		0.0.0.0-255.255.25.25 5.255	High	1, Vulnerability: Vulnerability Type:ftppflaw attack 2, Unnecessary Open Ports: IDS_PORT_OPEN_DETAIL_HIGH
200.200.155.199	3306	mysql	eth1		0.0.0.0-255.255.25.25 5.255	High	1, Vulnerability: Vulnerability Type:databaseflaw attack 2, Unnecessary Open Ports: IDS_PORT_OPEN_DETAIL_HIGH
200.200.155.202	445	netbios	eth1		0.0.0.0-255.255.25.25 5.255	High	1, Weak Password Vulnerability: Username:admin Password Type:PWD_EMPTY Username:administrator Password Type:PWD_EMPTY 2, Vulnerability: Vulnerability Type:systemflaw attack 3, Unnecessary Open Ports: IDS_PORT_OPEN_DETAIL
200.200.155.202	139	netbios	eth1		0.0.0.0-255.255.25.25 5.255	High	1, Weak Password Vulnerability: Username:admin Password Type:PWD_EMPTY Username:administrator Password Type:PWD_EMPTY 2, Vulnerability: Vulnerability Type:systemflaw attack 3, Unnecessary Open Ports: IDS_PORT_OPEN_DETAIL
200.200.155.197	21	ftp	eth1		0.0.0.0-255.255.25.25 5.255	High	1, Vulnerability: Vulnerability Type:ftppflaw attack 2, Unnecessary Open Ports: IDS_PORT_OPEN_DETAIL_HIGH
200.200.155.207	21	ftp	eth1		0.0.0.0-255.255.25.25 5.255	High	1, Vulnerability: Vulnerability Type:ftppflaw attack 2, Unnecessary Open Ports: IDS_PORT_OPEN_DETAIL_HIGH
200.200.155.219	3306	mysql	eth1		0.0.0.0-255.255.25.25 5.255	High	1, Weak Password Vulnerability: Username:root Password:root

Unnecessary Open Ports and Risks

200.200.155.242	3306	mysql	eth1	0.0.0.0-255.255.25.5.255	High	2, Vulnerability: Vulnerability Type:databaseflaw attack 3, Unnecessary Open Ports: IDS_PORT_OPEN_DETAIL_HIGH
200.200.155.17	445	netbios	eth1	0.0.0.0-255.255.25.5.255	Medium	1, Vulnerability: Vulnerability Type:systemflaw attack 2, Unnecessary Open Ports: IDS_PORT_OPEN_DETAIL_HIGH
200.200.155.17	139	netbios	eth1	0.0.0.0-255.255.25.5.255	Medium	1, Vulnerability: Vulnerability Type:systemflaw attack 2, Unnecessary Open Ports: IDS_PORT_OPEN_DETAIL
200.200.155.20	445	netbios	eth1	0.0.0.0-255.255.25.5.255	Medium	1, Vulnerability: Vulnerability Type:systemflaw attack 2, Unnecessary Open Ports: IDS_PORT_OPEN_DETAIL
200.200.155.26	80	http	eth1	0.0.0.0-255.255.25.5.255	Medium	1, Vulnerability: Vulnerability Type:webflaw attack 2, Web vulnerability: SQL injection, XSS attack, Trojan horse, Website scan, webshell, CSRF, OS command injection, File inclusion, Path traversal, Information disclosure 3, Unnecessary Open Ports: IDS_PORT_OPEN_DETAIL
200.200.155.32	445	netbios	eth1	0.0.0.0-255.255.25.5.255	Medium	1, Vulnerability: Vulnerability Type:systemflaw attack 2, Unnecessary Open Ports: IDS_PORT_OPEN_DETAIL
200.200.155.20	139	netbios	eth1	0.0.0.0-255.255.25.5.255	Medium	1, Vulnerability: Vulnerability Type:systemflaw attack 2, Unnecessary Open Ports: IDS_PORT_OPEN_DETAIL
200.200.155.32	80	http	eth1	0.0.0.0-255.255.25.5.255	Medium	1, Vulnerability: Vulnerability Type:webflaw attack 2, Web vulnerability: SQL injection, XSS attack, Trojan horse, Website scan, webshell, CSRF, OS command injection, File inclusion, Path traversal, Information disclosure 3, Unnecessary Open Ports: IDS_PORT_OPEN_DETAIL
200.200.155.32	110	pop3	eth1	0.0.0.0-255.255.25.5.255	Medium	1, Vulnerability: Vulnerability Type:mailflaw attack 2, Unnecessary Open Ports: IDS_PORT_OPEN_DETAIL
200.200.155.32	25	smtp	eth1	0.0.0.0-255.255.25.5.255	Medium	1, Vulnerability: Vulnerability Type:mailflaw attack 2, Unnecessary Open Ports: IDS_PORT_OPEN_DETAIL
200.200.155.34	445	netbios	eth1	0.0.0.0-255.255.25.5.255	Medium	1, Vulnerability: Vulnerability Type:systemflaw attack 2, Unnecessary Open Ports: IDS_PORT_OPEN_DETAIL
200.200.155.34	80	http	eth1	0.0.0.0-255.255.25.5.255	Medium	1, Vulnerability: Vulnerability Type:webflaw attack 2, Web vulnerability: SQL injection, XSS attack, Trojan horse, Website scan, webshell, CSRF, OS command injection, File inclusion, Path traversal, Information disclosure 3, Unnecessary Open Ports:

Unnecessary Open Ports and Risks

						IDS_PORT_OPEN_DETAIL
200.200.155.39	445	netbios	eth1	0.0.0.0-255.255.25.255	Medium	1, Vulnerability: Vulnerability Type:systemflaw attack 2, Unnecessary Open Ports: IDS_PORT_OPEN_DETAIL
200.200.155.34	139	netbios	eth1	0.0.0.0-255.255.25.255	Medium	1, Vulnerability: Vulnerability Type:systemflaw attack 2, Unnecessary Open Ports: IDS_PORT_OPEN_DETAIL
200.200.155.54	53	dns	eth1	0.0.0.0-255.255.25.255	Medium	1, Vulnerability: Vulnerability Type:dnsflaw attack 2, Unnecessary Open Ports: IDS_PORT_OPEN_DETAIL
200.200.155.53	445	netbios	eth1	0.0.0.0-255.255.25.255	Medium	1, Vulnerability: Vulnerability Type:systemflaw attack 2, Unnecessary Open Ports: IDS_PORT_OPEN_DETAIL
200.200.155.54	445	netbios	eth1	0.0.0.0-255.255.25.255	Medium	1, Vulnerability: Vulnerability Type:systemflaw attack 2, Unnecessary Open Ports: IDS_PORT_OPEN_DETAIL
200.200.155.54	80	http	eth1	0.0.0.0-255.255.25.255	Medium	1, Vulnerability: Vulnerability Type:webflaw attack 2, Web vulnerability: SQL injection, XSS attack, Trojan horse, Website scan, webshell, CSRF, OS command injection, File inclusion, Path traversal, Information disclosure 3, Unnecessary Open Ports: IDS_PORT_OPEN_DETAIL
200.200.155.55	445	netbios	eth1	0.0.0.0-255.255.25.255	Medium	1, Vulnerability: Vulnerability Type:systemflaw attack 2, Unnecessary Open Ports: IDS_PORT_OPEN_DETAIL
200.200.155.64	445	netbios	eth1	0.0.0.0-255.255.25.255	Medium	1, Vulnerability: Vulnerability Type:systemflaw attack 2, Unnecessary Open Ports: IDS_PORT_OPEN_DETAIL
200.200.155.66	445	netbios	eth1	0.0.0.0-255.255.25.255	Medium	1, Vulnerability: Vulnerability Type:systemflaw attack 2, Unnecessary Open Ports: IDS_PORT_OPEN_DETAIL
200.200.155.64	139	netbios	eth1	0.0.0.0-255.255.25.255	Medium	1, Vulnerability: Vulnerability Type:systemflaw attack 2, Unnecessary Open Ports: IDS_PORT_OPEN_DETAIL
200.200.155.33	80	http	eth1	0.0.0.0-255.255.25.255	Medium	1, Vulnerability: Vulnerability Type:webflaw attack 2, Web vulnerability: SQL injection, XSS attack, Trojan horse, Website scan, webshell, CSRF, OS command injection, File inclusion, Path traversal, Information disclosure 3, Unnecessary Open Ports: IDS_PORT_OPEN_DETAIL
200.200.155.80	53	dns	eth1	0.0.0.0-255.255.25.255	Medium	1, Vulnerability: Vulnerability Type:dnsflaw attack 2, Unnecessary Open Ports: IDS_PORT_OPEN_DETAIL
200.200.155.80	445	netbios	eth1	0.0.0.0-255.255.25.255	Medium	1, Vulnerability: Vulnerability Type:systemflaw attack 2, Unnecessary Open Ports: IDS_PORT_OPEN_DETAIL
200.200.155.80	139	netbios	eth1	0.0.0.0-255.255.25.255	Medium	1, Vulnerability: Vulnerability Type:systemflaw attack

Unnecessary Open Ports and Risks

						2, Unnecessary Open Ports: IDS_PORT_OPEN_DETAIL
200.200.155.108	53	dns	eth1	0.0.0.0-255.255.25.255	Medium	1, Vulnerability: Vulnerability Type:dnsflaw attack 2, Unnecessary Open Ports: IDS_PORT_OPEN_DETAIL
200.200.155.108	53	dns	eth1	0.0.0.0-255.255.25.255	Medium	1, Vulnerability: Vulnerability Type:dnsflaw attack 2, Unnecessary Open Ports: IDS_PORT_OPEN_DETAIL
200.200.155.108	25	smtp	eth1	0.0.0.0-255.255.25.255	Medium	1, Vulnerability: Vulnerability Type:mailflaw attack 2, Unnecessary Open Ports: IDS_PORT_OPEN_DETAIL
200.200.155.108	110	pop3	eth1	0.0.0.0-255.255.25.255	Medium	1, Vulnerability: Vulnerability Type:mailflaw attack 2, Unnecessary Open Ports: IDS_PORT_OPEN_DETAIL
200.200.155.109	80	http	eth1	0.0.0.0-255.255.25.255	Medium	1, Vulnerability: Vulnerability Type:webflaw attack 2, Web vulnerability: SQL injection, XSS attack, Trojan horse, Website scan, webshell, CSRF, OS command injection, File inclusion, Path traversal, Information disclosure 3, Unnecessary Open Ports: IDS_PORT_OPEN_DETAIL
200.200.155.110	445	netbios	eth1	0.0.0.0-255.255.25.255	Medium	1, Vulnerability: Vulnerability Type:systemflaw attack 2, Unnecessary Open Ports: IDS_PORT_OPEN_DETAIL
200.200.155.109	139	netbios	eth1	0.0.0.0-255.255.25.255	Medium	1, Vulnerability: Vulnerability Type:systemflaw attack 2, Unnecessary Open Ports: IDS_PORT_OPEN_DETAIL
200.200.155.111	80	http	eth1	0.0.0.0-255.255.25.255	Medium	1, Vulnerability: Vulnerability Type:webflaw attack 2, Web vulnerability: SQL injection, XSS attack, Trojan horse, Website scan, webshell, CSRF, OS command injection, File inclusion, Path traversal, Information disclosure 3, Unnecessary Open Ports: IDS_PORT_OPEN_DETAIL
200.200.155.115	445	netbios	eth1	0.0.0.0-255.255.25.255	Medium	1, Vulnerability: Vulnerability Type:systemflaw attack 2, Unnecessary Open Ports: IDS_PORT_OPEN_DETAIL
200.200.155.122	445	netbios	eth1	0.0.0.0-255.255.25.255	Medium	1, Vulnerability: Vulnerability Type:systemflaw attack 2, Unnecessary Open Ports: IDS_PORT_OPEN_DETAIL
200.200.155.122	80	http	eth1	0.0.0.0-255.255.25.255	Medium	1, Vulnerability: Vulnerability Type:webflaw attack 2, Web vulnerability: SQL injection, XSS attack, Trojan horse, Website scan, webshell, CSRF, OS command injection, File inclusion, Path traversal, Information disclosure 3, Unnecessary Open Ports: IDS_PORT_OPEN_DETAIL
200.200.155.125	53	dns	eth1	0.0.0.0-255.255.25.255	Medium	1, Vulnerability: Vulnerability Type:dnsflaw attack 2, Unnecessary Open Ports: IDS_PORT_OPEN_DETAIL
200.200.155.108	80	http	eth1	0.0.0.0-255.255.25.255	Medium	1, Vulnerability:

Unnecessary Open Ports and Risks

					5.255		Vulnerability Type:webflaw attack 2, Web vulnerability: SQL injection, XSS attack, Trojan horse, Website scan, webshell, CSRF, OS command injection, File inclusion, Path traversal, Information disclosure 3, Unnecessary Open Ports: IDS_PORT_OPEN_DETAIL
200.200.155.128	445	netbios	eth1		0.0.0.0-255.255.25.5.255	Medium	1, Vulnerability: Vulnerability Type:systemflaw attack 2, Unnecessary Open Ports: IDS_PORT_OPEN_DETAIL
200.200.155.111	8001	http	eth1		0.0.0.0-255.255.25.5.255	Medium	1, Vulnerability: Vulnerability Type:webflaw attack 2, Web vulnerability: SQL injection, XSS attack, Trojan horse, Website scan, webshell, CSRF, OS command injection, File inclusion, Path traversal, Information disclosure 3, Unnecessary Open Ports: IDS_PORT_OPEN_DETAIL
200.200.155.128	80	http	eth1		0.0.0.0-255.255.25.5.255	Medium	1, Vulnerability: Vulnerability Type:webflaw attack 2, Web vulnerability: SQL injection, XSS attack, Trojan horse, Website scan, webshell, CSRF, OS command injection, File inclusion, Path traversal, Information disclosure 3, Unnecessary Open Ports: IDS_PORT_OPEN_DETAIL
200.200.155.125	80	http	eth1		0.0.0.0-255.255.25.5.255	Medium	1, Vulnerability: Vulnerability Type:webflaw attack 2, Web vulnerability: SQL injection, XSS attack, Trojan horse, Website scan, webshell, CSRF, OS command injection, File inclusion, Path traversal, Information disclosure 3, Unnecessary Open Ports: IDS_PORT_OPEN_DETAIL
200.200.155.131	445	netbios	eth1		0.0.0.0-255.255.25.5.255	Medium	1, Vulnerability: Vulnerability Type:systemflaw attack 2, Unnecessary Open Ports: IDS_PORT_OPEN_DETAIL
200.200.155.130	139	netbios	eth1		0.0.0.0-255.255.25.5.255	Medium	1, Vulnerability: Vulnerability Type:systemflaw attack 2, Unnecessary Open Ports: IDS_PORT_OPEN_DETAIL
200.200.155.131	80	http	eth1		0.0.0.0-255.255.25.5.255	Medium	1, Vulnerability: Vulnerability Type:webflaw attack 2, Web vulnerability: SQL injection, XSS attack, Trojan horse, Website scan, webshell, CSRF, OS command injection, File inclusion, Path traversal, Information disclosure 3, Unnecessary Open Ports: IDS_PORT_OPEN_DETAIL
200.200.155.136	445	netbios	eth1		0.0.0.0-255.255.25.5.255	Medium	1, Vulnerability: Vulnerability Type:systemflaw attack 2, Unnecessary Open Ports: IDS_PORT_OPEN_DETAIL
200.200.155.143	445	netbios	eth1		0.0.0.0-255.255.25.5.255	Medium	1, Vulnerability: Vulnerability Type:systemflaw attack 2, Unnecessary Open Ports: IDS_PORT_OPEN_DETAIL
200.200.155.129	80	http	eth1		0.0.0.0-255.255.25.5.255	Medium	1, Vulnerability: Vulnerability Type:webflaw attack 2, Web vulnerability: SQL injection, XSS attack, Trojan horse, Website scan, webshell, CSRF, OS command injection, File

Unnecessary Open Ports and Risks

						inclusion, Path traversal, Information disclosure 3, Unnecessary Open Ports: IDS_PORT_OPEN_DETAIL
200.200.155.136	139	netbios	eth1	0.0.0.0-255.255.25.255	Medium	1, Vulnerability: Vulnerability Type:systemflaw attack 2, Unnecessary Open Ports: IDS_PORT_OPEN_DETAIL
200.200.155.143	81	http	eth1	0.0.0.0-255.255.25.255	Medium	1, Vulnerability: Vulnerability Type:webflaw attack 2, Web vulnerability: SQL injection, XSS attack, Trojan horse, Website scan, webshell, CSRF, OS command injection, File inclusion, Path traversal, Information disclosure 3, Unnecessary Open Ports: IDS_PORT_OPEN_DETAIL
200.200.155.143	80	http	eth1	0.0.0.0-255.255.25.255	Medium	1, Vulnerability: Vulnerability Type:webflaw attack 2, Web vulnerability: SQL injection, XSS attack, Trojan horse, Website scan, webshell, CSRF, OS command injection, File inclusion, Path traversal, Information disclosure 3, Unnecessary Open Ports: IDS_PORT_OPEN_DETAIL
200.200.155.143	139	netbios	eth1	0.0.0.0-255.255.25.255	Medium	1, Vulnerability: Vulnerability Type:systemflaw attack 2, Unnecessary Open Ports: IDS_PORT_OPEN_DETAIL
200.200.155.144	25	smtp	eth1	0.0.0.0-255.255.25.255	Medium	1, Vulnerability: Vulnerability Type:mailflaw attack 2, Unnecessary Open Ports: IDS_PORT_OPEN_DETAIL
200.200.155.144	110	pop3	eth1	0.0.0.0-255.255.25.255	Medium	1, Vulnerability: Vulnerability Type:mailflaw attack 2, Unnecessary Open Ports: IDS_PORT_OPEN_DETAIL
200.200.155.144	80	http	eth1	0.0.0.0-255.255.25.255	Medium	1, Vulnerability: Vulnerability Type:webflaw attack 2, Web vulnerability: SQL injection, XSS attack, Trojan horse, Website scan, webshell, CSRF, OS command injection, File inclusion, Path traversal, Information disclosure 3, Unnecessary Open Ports: IDS_PORT_OPEN_DETAIL
200.200.155.145	80	http	eth1	0.0.0.0-255.255.25.255	Medium	1, Vulnerability: Vulnerability Type:webflaw attack 2, Web vulnerability: SQL injection, XSS attack, Trojan horse, Website scan, webshell, CSRF, OS command injection, File inclusion, Path traversal, Information disclosure 3, Unnecessary Open Ports: IDS_PORT_OPEN_DETAIL
200.200.155.152	445	netbios	eth1	0.0.0.0-255.255.25.255	Medium	1, Vulnerability: Vulnerability Type:systemflaw attack 2, Unnecessary Open Ports: IDS_PORT_OPEN_DETAIL
200.200.155.155	445	netbios	eth1	0.0.0.0-255.255.25.255	Medium	1, Vulnerability: Vulnerability Type:systemflaw attack 2, Unnecessary Open Ports: IDS_PORT_OPEN_DETAIL
200.200.155.155	80	http	eth1	0.0.0.0-255.255.25.255	Medium	1, Vulnerability: Vulnerability Type:webflaw attack 2, Web vulnerability: SQL injection, XSS attack, Trojan horse, Website

Unnecessary Open Ports and Risks

						scan, webshell, CSRF, OS command injection, File inclusion, Path traversal, Information disclosure 3, Unnecessary Open Ports: IDS_PORT_OPEN_DETAIL
200.200.155.156	445	netbios	eth1	0.0.0.0-255.255.25.5.255	Medium	1, Vulnerability: Vulnerability Type:systemflaw attack 2, Unnecessary Open Ports: IDS_PORT_OPEN_DETAIL
200.200.155.155	139	netbios	eth1	0.0.0.0-255.255.25.5.255	Medium	1, Vulnerability: Vulnerability Type:systemflaw attack 2, Unnecessary Open Ports: IDS_PORT_OPEN_DETAIL
200.200.155.158	445	netbios	eth1	0.0.0.0-255.255.25.5.255	Medium	1, Vulnerability: Vulnerability Type:systemflaw attack 2, Unnecessary Open Ports: IDS_PORT_OPEN_DETAIL
200.200.155.158	80	http	eth1	0.0.0.0-255.255.25.5.255	Medium	1, Vulnerability: Vulnerability Type:webflaw attack 2, Web vulnerability: SQL injection, XSS attack, Trojan horse, Website scan, webshell, CSRF, OS command injection, File inclusion, Path traversal, Information disclosure 3, Unnecessary Open Ports: IDS_PORT_OPEN_DETAIL
200.200.155.182	445	netbios	eth1	0.0.0.0-255.255.25.5.255	Medium	1, Vulnerability: Vulnerability Type:systemflaw attack 2, Unnecessary Open Ports: IDS_PORT_OPEN_DETAIL
200.200.155.182	139	netbios	eth1	0.0.0.0-255.255.25.5.255	Medium	1, Vulnerability: Vulnerability Type:systemflaw attack 2, Unnecessary Open Ports: IDS_PORT_OPEN_DETAIL
200.200.155.187	80	http	eth1	0.0.0.0-255.255.25.5.255	Medium	1, Vulnerability: Vulnerability Type:webflaw attack 2, Web vulnerability: SQL injection, XSS attack, Trojan horse, Website scan, webshell, CSRF, OS command injection, File inclusion, Path traversal, Information disclosure 3, Unnecessary Open Ports: IDS_PORT_OPEN_DETAIL
200.200.155.189	445	netbios	eth1	0.0.0.0-255.255.25.5.255	Medium	1, Vulnerability: Vulnerability Type:systemflaw attack 2, Unnecessary Open Ports: IDS_PORT_OPEN_DETAIL
200.200.155.190	25	smtp	eth1	0.0.0.0-255.255.25.5.255	Medium	1, Vulnerability: Vulnerability Type:mailflaw attack 2, Unnecessary Open Ports: IDS_PORT_OPEN_DETAIL
200.200.155.190	110	pop3	eth1	0.0.0.0-255.255.25.5.255	Medium	1, Vulnerability: Vulnerability Type:mailflaw attack 2, Unnecessary Open Ports: IDS_PORT_OPEN_DETAIL
200.200.155.189	139	netbios	eth1	0.0.0.0-255.255.25.5.255	Medium	1, Vulnerability: Vulnerability Type:systemflaw attack 2, Unnecessary Open Ports: IDS_PORT_OPEN_DETAIL
200.200.155.193	445	netbios	eth1	0.0.0.0-255.255.25.5.255	Medium	1, Vulnerability: Vulnerability Type:systemflaw attack 2, Unnecessary Open Ports: IDS_PORT_OPEN_DETAIL
200.200.155.196	53	dns	eth1	0.0.0.0-255.255.25.5.255	Medium	1, Vulnerability: Vulnerability Type:dnsflaw attack 2, Unnecessary Open Ports:

Unnecessary Open Ports and Risks

					IDS_PORT_OPEN_DETAIL
200.200.155.195	445	netbios eth1	0.0.0.0-255.255.25.5.255	Medium	1, Vulnerability: Vulnerability Type:systemflaw attack 2, Unnecessary Open Ports: IDS_PORT_OPEN_DETAIL

由于数据过多，只显示了前100条记录，还有115条记录没有显示